


FOM & PRE-CALC 10

Final Exam



BOOK 2:

- REAL NUMBERS, RADICALS & EXPONENTS
- POLYNOMIALS

NAME: _____

BLOCK: _____

UNIT 3: REAL NUMBERS, RADICALS & EXPONENTS

MY NOTES AND THINGS TO REMEMBER...

Exponents and Radicals

17. What is the least common multiple of 18 and 24?

- NC
- A. 2×3
 - B. $2^2 \times 3^3$
 - C. $2^3 \times 3^2$
 - D. $2^4 \times 3^3$

18. What is the greatest common factor of 12, 24, 30, 72?

- NC
- A. 360
 - B. 12
 - C. 6
 - D. 2

19. Express $2\sqrt{5}$ as an entire radical.

- NC
- A. $\sqrt{10}$
 - B. $\sqrt{20}$
 - C. $\sqrt{50}$
 - D. $\sqrt{100}$

20. Order the numbers from the smallest value to the largest value.

NC

I.	$-3\sqrt{2}$
II.	$\sqrt{9}$
III.	$2\sqrt{3}$
IV.	$-2\sqrt{7}$

- A. I, IV, II, III
- B. I, IV, III, II
- C. IV, I, II, III
- D. IV, I, III, II

21. Simplify: $(2x^3)^3 \cdot 3x^4$

- NC
- A. $24x^{36}$
 - B. $24x^{13}$
 - C. $18x^{36}$
 - D. $6x^{13}$

22. Which one of the following sets of numbers contains only rational numbers?

A. $\left\{-\frac{3}{4}, 7.1, \sqrt{16}\right\}$

B. $\left\{\frac{1}{2}, -6, \frac{\sqrt{5}}{2}\right\}$

C. $\{-3, 4.\overline{23}, 4.121314\dots\}$

D. $\{\sqrt{10}, 3\sqrt{9}, \pi\}$

23. Simplify: $\sqrt[3]{1080}$

A. $2\sqrt[3]{135}$

B. $3\sqrt[3]{40}$

C. $6\sqrt[3]{5}$

D. $6\sqrt[3]{30}$

24. Simplify: $(3a^2)^3(4a^3)^0$

A. $9a^6$

B. $27a^6$

C. $36a^8$

D. $108a^9$

25. Which expression is equivalent to $(-c^2)^{-\frac{1}{3}}$?

A. $\frac{1}{\sqrt[3]{-c^2}}$

B. $\frac{1}{\sqrt[3]{c^2}}$

C. $\frac{1}{\sqrt{-c^3}}$

D. $\sqrt[3]{c^2}$

26. Simplify: $\sqrt{x^3} \div \sqrt[3]{x^4}$

A. $\sqrt[6]{x}$

B. $\sqrt[8]{x^9}$

C. $\sqrt[9]{x^8}$

D. $\sqrt[12]{x}$

27. Which of the following statements are true?

NC

I.	$\sqrt{4} = 2$ since $2 \times 2 = 4$
II.	$\sqrt{8} = 4$ since $4 + 4 = 8$
III.	$\sqrt[3]{27} = 3$ since $3 \times 3 \times 3 = 27$
IV.	$\sqrt[3]{81} = 9$ since $9 \times 9 = 81$

- A. I and III only
- B. I and IV only
- C. II and III only
- D. II and IV only

28. Which of the following statements are true?

NC

I.	The factors of 24 are 2, 3, 4, 6, 8 and 12.
II.	The prime factorization of 24 is $2^3 \times 3^1$.
III.	The prime factors of 24 are 2 and 3.
IV.	$\sqrt{24}$ is an irrational number.

- A. I and IV only
- B. II and III only
- C. II, III and IV only
- D. I, II, III and IV

29. Simplify: $\sqrt{72}$

NC

- A. $2\sqrt{6}$
- B. $6\sqrt{2}$
- C. $18\sqrt{2}$
- D. $36\sqrt{2}$

30. Evaluate: $16^{-\frac{3}{4}}$

- A. -8
- B. $\frac{1}{8}$
- C. $\frac{1}{2}$
- D. 2

31. Which pattern could be used to predict 3^{-4} ?

NC

A.

3^3	27
3^2	9
3^1	3
3^0	1
3^{-1}	$\frac{1}{3}$
3^{-2}	$\frac{1}{9}$
3^{-3}	$\frac{1}{27}$

B.

3^3	9
3^2	6
3^1	3
3^0	0
3^{-1}	$-\frac{1}{3}$
3^{-2}	$-\frac{1}{6}$
3^{-3}	$-\frac{1}{9}$

C.

3^3	27
3^2	9
3^1	3
3^0	1
3^{-1}	-3
3^{-2}	-9
3^{-3}	-27

D.





3^3	9
3^2	6
3^1	3
3^0	0
3^{-1}	-3
3^{-2}	-6
3^{-3}	-9

32. Which of the following number lines best represents the placement of X, Y, Z, given:

$X = 2\sqrt{5}$

$Y = \text{cube root of } 68$

$Z = \sqrt[4]{2}$



33. Chantal made a mistake in her simplification of $\frac{(3a^5)^{-2}}{a^4}$.

Steps	
I.	$\frac{1}{(3a^5)^2(a^4)}$
II.	$\frac{1}{(3)^2(a^5)^2(a^4)}$
III.	$\frac{1}{(9)(a^7)(a^4)}$
IV.	$\frac{1}{9a^{28}}$

Which step contains her first mistake?

- A. Step I
 B. Step II
 C. Step III
 D. Step IV
34. Simplify: $\left(\frac{25x^a}{125x^3}\right)^3$
- A. $\frac{x^{3a-9}}{125}$
 B. $\frac{x^{a-3}}{5}$
 C. $125x^{3a-9}$
 D. $\frac{x^{27a}}{5}$

35. A research assistant calculated the brain mass, b , of an 8 kg cat. She used the formula $b = 0.01m^{\frac{2}{3}}$, where m is the total mass of the cat.

Steps	
I.	$b = 0.01\sqrt[3]{8^2}$
II.	$b = 0.01\sqrt[3]{16}$
III.	$b \approx 0.01(2.52)$
IV.	$b \approx 0.025$

In which step did the research assistant first make a mistake?

- A. Step I
 B. Step II
 C. Step III
 D. Step IV

1.7

Chapter Review

Section 1.1

1. Consider the list of numbers: -2 , $0.\bar{4}$, 0 , $0.343343334\dots$, $4.222\dots$, $\frac{5}{3}$, 7 , $\sqrt{2}$. List all:
- a) Natural numbers
 - b) Whole numbers
 - c) Integers
 - d) Rational numbers
 - e) Irrational numbers
 - f) Real numbers

Section 1.2

2. Simplify the composite numbers to a product of prime numbers.
- a) 4950
 - b) 1848
 - c) 2618
 - d) 264 264
3. Find the greatest common factor.
- a) 126, 588
 - b) 1755, 2475
 - c) 7007, 13 013
 - d) 544, 600, 2250

4. Find the least common multiple.

a) 56, 196

b) 90, 300

c) 15, 20, 30

d) 30, 45, 84

Section 1.3

5. Determine the roots without a calculator.

a) $\sqrt{64}$

b) $\sqrt[3]{64}$

c) $\sqrt{729}$

d) $\sqrt[3]{729}$

e) $\sqrt{1296}$

f) $\sqrt[3]{2744}$

g) $\sqrt{1764}$

h) $\sqrt[3]{5832}$

Section 1.4

6. Without a calculator, determine if the number is a rational or irrational number.

a) $\sqrt{0.4}$

b) $\sqrt{0.04}$

c) $\sqrt{90}$

d) $\sqrt{900}$

e) $\sqrt[3]{0.27}$

f) $\sqrt[3]{0.027}$

g) $\sqrt[3]{800}$

h) $\sqrt[3]{8000}$

9. Simplify. Evaluate if possible.

a) $32^{\frac{4}{5}}$

b) $32^{-\frac{4}{5}}$

c) $-625^{\frac{3}{4}}$

d) $-625^{-\frac{3}{4}}$

e) $(27 \times 64)^{\frac{4}{3}}$

f) $(27 \times 64)^{-\frac{4}{3}}$

g) $\left(\frac{16}{81}\right)^{\frac{3}{4}}$

h) $\left(\frac{16}{81}\right)^{-\frac{3}{4}}$

i) $\sqrt[3]{x^6}$

j) $\sqrt[12]{x^4}, x \geq 0$

k) $\frac{\sqrt{2}}{\sqrt[3]{2}}$

l) $\frac{\sqrt[3]{4}}{\sqrt{2}}$

m) $\frac{\sqrt[3]{3}}{\sqrt[4]{3}}$

n) $\frac{\sqrt[3]{4}}{\sqrt[4]{2}}$

o) $\frac{\sqrt{2} \times \sqrt[3]{2}}{\sqrt[4]{2}}$

p) $\frac{\sqrt{3} \times \sqrt[3]{9}}{\sqrt[4]{27}}$

Section 1.6

10. Simplify each radical.

a) $\sqrt{108}$

b) $\sqrt[3]{108}$

c) $\sqrt{288}$

d) $\sqrt[3]{288}$

e) $3\sqrt{54}$

f) $3\sqrt[3]{54}$

g) $2\sqrt{14} \times \sqrt{28}$

h) $2\sqrt[3]{14} \times \sqrt[3]{28}$

i) $-5\sqrt{12} \times \sqrt{54}$

j) $-5\sqrt[3]{12} \times \sqrt[3]{54}$

11. Express as an entire radical.

a) $3\sqrt{2}$

b) $3\sqrt[3]{2}$

c) $-2\sqrt{5}$

d) $-2\sqrt[3]{5}$

e) $5\sqrt{2} \times 2\sqrt{3}$

f) $5\sqrt[3]{2} \times 2\sqrt[3]{3}$

g) $3\sqrt{3} \times 2\sqrt{5} \times 4\sqrt{2}$

h) $4\sqrt[3]{3} \times 3\sqrt[3]{4} \times 2\sqrt[3]{2}$

UNIT 4: POLYNOMIALS

MY NOTES AND THINGS TO REMEMBER...

Polynomials


NOTE: NC = Non-Calculator Section

1. Which two numbers have the following properties?

- Their GCF is 12.
- Their LCM is 72.

- A. 2 and 3
- B. 24 and 36
- C. 48 and 72
- D. 72 and 864

2. Given that the area of the rectangle below is $2x^2 + 9x - 5$, determine the length of the rectangle.



- A. $2x - 1$
- B. $2x + 1$
- C. $2x + 9$
- D. $2x^2 + 8x - 10$





3. Expand and simplify: $(x - 4)^3$

- A. $x^3 - 12x^2 + 48x - 64$
- B. $x^3 + 12x^2 + 48x + 64$
- C. $x^3 - 4x^2 + 16x + 64$
- D. $x^3 - 64$

4. Katie simplified the expression $(x + b)(x + c)$, where $b < 0$ and $c < 0$, to the form $x^2 + gx + k$. What must be true about g and k ?

- A. $g < 0$ and $k > 0$
- B. $g < 0$ and $k < 0$
- C. $g > 0$ and $k > 0$
- D. $g > 0$ and $k < 0$

5. Which of the following diagrams best represents the expansion of $(x+3)(x+1)$ pictorially?



6. How many integer values are there for k for which $4x^2 + kxy - 9y^2$ is factorable?

7. Factor: $y^2 - 81$

- A. $(y - 9)^2$
- B. $(y + 9)^2$
- C. $(y + 9)(y - 9)$
- D. $(y + 3)(y - 3)(y + 9)$

8. Which of the following expressions have a factor of $x + 2$?

I.	$x^2 - 4$
II.	$2x^2 - x - 10$
III.	$5x + 10$

- A. I only
- B. III only
- C. I and III only
- D. I, II and III

9. Expand and simplify: $(4x - 3)^2$

- A. $16x^2 + 9$
- B. $16x^2 - 12x + 9$
- C. $16x^2 - 24x - 9$
- D. $16x^2 - 24x + 9$


10. Pam expanded and simplified $(x - 3)(x^2 + 2x - 4)$, as shown below.

Steps	
I.	$x(x^2 + 2x - 4) - 3(x^2 + 2x - 4)$
II.	$x^3 + 2x^2 - 4x - 3x^2 + 6x - 12$
III.	$x^3 - x^2 + 2x - 12$

In which step is Pam's first error?


- A. Step I
- B. Step II
- C. Step III
- D. There is no mistake.

11. Determine an expression to represent the shaded area below.











- A. $x^2 + 43$
 B. $x^2 + 13x + 67$
 C. $x^2 + 29x + 43$
 D. $3x^2 + 13x + 67$
12. Determine the greatest common factor of $12x^5y$, $4x^3y^2$ and $6x^2y^4$.
- A. $2xy$
 B. $2x^2y$
 C. $4x^3y^2$
 D. $12x^5y^4$
13. Which of the following expressions is a factor of $x^2 - 8x - 20$?
- A. $x - 2$
 B. $x - 4$
 C. $x - 5$
 D. $x - 10$
14. When completely factored, how many factors does $2x^4 - 24x^2 - 128$ have?
- A. 2
 B. 3
 C. 4
 D. 5

15. Joe was asked to factor $6x^2 + x - 15$ and represent it with math tiles.



What additional tiles would he need to represent the total area of the two factors?

- A. 8 each of  and 
- B. 9 each of  and 
- C. 10 each of  and 
- D. 11 each of  and 
16. A bacteria culture doubles every hour. If there are 10 000 bacteria now, how many bacteria were there 4 hours ago? Answer to the nearest bacterium.

2.7

Chapter Review

Section 2.1

1. Find the value of the polynomial when $x = -3$.

a) $-3x^3 + x - 2$

b) $-x^4 - 2x^3$

c) $x^5 - 9x^3 + x - 9$

d) $-2x^3 - 5x^2 + 3x - 1$

e) $x^4 - 2x^3 - 2x^2 + x - 1$

f) $-4x^3 - 2x^2 + 5x - 4$

2. Find the product.

a) $(2x^2y)(3x^4y^3)$

b) $-2x^2y^4(3x^3y)$

c) $2ab(-3a^2b + 2ab^2 - 5ab)$

d) $-3a^2(2a + 3a^2 - a^4)$

e) $(2a^2)(3b)(-a^3b^2 + 4ab^3)$

f) $-ab^2c(a^2b^2c - abc^2 - a^3b^2)$

g) $(-2x^2y)(3xy^3)(4x^2 - 5y^2)$

h) $(-xy^3)(-2x^2y^2)(x^2 - xy + y^2)$

i) $(-3xy^3)(4x^3y^2)(-3x^3 + y^3)$

j) $(-2x^3y^2)(x^3y^4)(2x^2 - 3xy - y^3)$

Section 2.2

3. Multiply.

a) $(3x - 2)(2x + 3)$

b) $(2x^2 - 1)(4x^2 - 3)$

c) $(1 - 2x)(3 + x - 2x^2)$

d) $(x - 2y)(3x + 4y)$

e) $(2x + y)(3x^2 - xy + 2y^2)$

f) $(3x - 1)^2$

g) $(2x - 3y)^2$

h) $(x - 2)^3$

Section 2.3

4. Factor.

a) $9x^5 - 6x^3 + 3x$

b) $2x(x - 2) - 3(x - 2)$

c) $x(x - 1) - 2(1 - x)$

d) $x^2 - xy + 2x - 2y$

e) $1 - x + y - xy$

f) $x^3 - 3x^2 + 2x - 6$

g) $3x^3 + 6x^2 - 4x - 8$

h) $ab^2 - a^2 + 2b^2 - 2a$

Section 2.4

5. Factor.

a) $x^2 + 7x + 6$

b) $x^2 + 9x + 14$

c) $x^2 + 9x + 18$

d) $x^2 - 8x + 7$

e) $x^2 - 6x + 9$

f) $x^2 - 12x + 35$

g) $x^2 + 2x - 15$

h) $x^2 - 3x - 4$

i) $3x^2 + 6x - 24$

j) $-3x^2 + 12x - 12$

k) $-2x^3 + 2x^2 + 12x$

l) $-2x^4 + 8x^3y - 8x^2y^2$

m) $x^2 - x + \frac{3}{16}$

n) $x^2 - \frac{1}{4}x - \frac{1}{8}$

o) $2x^2 - 4x$

p) $3x^3 - 3x^2 - 6x$

q) $(x + 1)^2 - 4(x + 1) + 3$

r) $(x - 3)^2 - (x - 3) - 6$

s) $x^2 - \frac{1}{2}x - \frac{15}{2}$

t) $x^2 + \frac{5}{3}x + \frac{2}{3}$

Section 2.5

6. Factor.

a) $3x^2 + 10x + 3$

b) $6x^2 + 17x + 12$

c) $8x^2 - 26x + 15$

d) $12x^2 - 17x + 6$

e) $-3x^2 + 5x - 2$

f) $-8x^2 + 18x - 9$

g) $6x^2 - 15xy + 6y^2$

h) $-8x^2 + 24xy - 18y^2$

Section 2.6

7. Factor.

a) $x^2 - 9$

b) $9x^2 - 4$

c) $x^2 - 4y^2$

d) $9x^4 - 49y^2$

e) $x^4 - 16$

f) $3x^2 - 12y^2$

g) $(x - 2)^2 - 9y^2$

h) $(x + 1)^2 - (y - 3)^2$

8. Factor.

a) $x^2 + 6x + 9$

b) $x^2 - 8x + 16$

c) $4x^2 + 24x + 36$

d) $-16x^2 + 80x - 100$

e) $x^3 + 8x^2 + 16x$

f) $4x^2 - 12xy + 9y^2$

g) $-27x^2 + 18xy - 3y^2$

h) $-16x^2 - 24xy - 9y^2$

i) $1 - 12x + 36x^2$

j) $-25x^2 + 20xy - 4y^2$

k) $49x^2 + 28xy + 4y^2$

l) $16x^2 - 40x^3 + 25x^4$

m) $-18x^3 - 24x^2y - 8xy^2$

n) $-12x^3 - 36x^2y - 27xy^2$

o) $-4x^4 - 4x^3y - x^2y^2$

p) $-9x^4 - 6x^3y - x^2y^2$

Additional Factoring Problems (Sections 2.3 - 2.6)

9. Factor.

a) $6x^3 - 6x$

b) $a^2b - 2ab^2 + b^3$

c) $(x - 2)^2 - 2(x - 2) - 3$

d) $2x + yz + 2z + xy$

e) $6x^3 + x^2 - 5x$

f) $2x^3 - 2x(x + 2)$

g) $x^2(x + 10) - 2x(x - 8)$

h) $-9x^2y^2 + 6xy - 1$

i) $2^{2x} - 2^{x+1} + 1$

j) $8a^2x^3y - 2b^2xy$

k) $a^2c + a^2d^2 - b^2c - b^2d^2$

l) $x^2y^2 - 4x^2 - y^2 + 4$

m) $b^{2a} - 2b^a + 1, a > 0$

n) $y^{4b} - 16, b > 0$

o) $a^{2n+2} - a^2, n > 0$

p) $x^{3m} + x^{2m} - 6x^m, m > 0$